



Organized By:



**American
Stroke
Association.**
*A division of the
American Heart Association.*

Post-Event Report
MENASO
**CEREBROVASCULAR
GRAND ROUND**
**LIVE
webinar**

14 December 2021

8:00 PM - 09:30 PM (Dubai Time)



Supported By:



**Boehringer
Ingelheim**

Medtronic
Further Together

Managed By:



البحر المتوسط للممارض والمؤتمرات في م م
MEDETARIAN CONFERENCES ORGANIZING LLC

EVENT SUMMARY

12th CEREBROVASCULAR GRAND ROUND Webinar, 14 December 2021

The 12th and final chapter of the Cerebrovascular Grand Round Webinar, held under the auspices of the **MENA STROKE Organization, American Stroke Association, and World Stroke Organization**, and supported by Boehringer Ingelheim and Medtronic, was a unique session to provide comprehensive education about Stroke challenging cases in 2021 and latest updates of ESUS. It revealed the updates in diagnosis and treatments of the condition. The webinar has helped **1235 delegates from 34 countries** around the world and they have been rewarded with **2 CME hours**.

Dr. Suhail Abdulla Alrukn, President of MENASO and Consultant Neurology at Rashid Hospital, UAE, has appointed **Dr. Hani Humaidan**, Consultant Adult Neurology and Stroke at Salmaniya Medical Complex, Bahrain, as Chairman for the webinar and **Dr. Ammar Al Kawi, MD, FAAN, FACP**, Consultant, Interventional & Vascular Neurology at King Faisal Specialist Hospital & Research Center, Riyadh, and Associate Professor at College of Medicine, AlFaisal University, and **Dr. Athari Salmeen**, Specialist Neurologist at Jaber Al-ahmad hospital, Kuwait as the speakers.

Webinar Chairman **Dr. Hani Humaidan** has delivered the opening remarks and introduced **Dr. Ammar Al Kawi** to deliver his lecture on **2021 Major Trails**.

Dr. Ammar Al Kawi has begun his presentation with IV Thrombolysis followed by Mechanical I Thrombectomy Vs Direct Mechanical Thrombectomy. Among patients with acute large vessel occlusion stroke, mechanical thrombectomy alone, compared with combined intravenous thrombolysis plus mechanical thrombectomy, failed to demonstrate no inferiority regarding favorable functional outcome. However, the wide confidence intervals around the effect estimate also did not allow a conclusion of inferiority. The REDUCE trial demonstrates that patent foramen ovale closure prevents recurrent brain infarction based on the objective outcome of new infarcts on MRI. Only clinical strokes were reduced by closure while silent infarctions were similar between study arms, and there

CHAIRMAN

Chairman



Dr. Hani Humaidan

Consultant Adult Neurology and Stroke
Salmaniya Medical Complex, Bahrain

SPEAKERS

Speaker



**Dr. Ammar Al Kawi,
MD, FAAN, FACP**

Consultant, Interventional & Vascular Neurology
Associate Professor,
King Faisal Specialist Hospital & Research Center,
Riyadh College of Medicine, Alfaisal University

Speaker



Dr. Athari Salmeen

Specialist Neurologist Jaber
Al-ahmad hospital, Kuwait

DELEGATE INFORMATION

Participating Country

 United Arab Emirates	 Namibia
 Egypt	 Pakistan
 Saudi Arabia	 United States
 South Africa	 Botswana
 Kuwait	 China
 Bahrain	 Jordan
 United Kingdom	 Morocco
 Iraq	 Germany
 Qatar	 Albania
 Philippines	 Indonesia
 India	 Lebanon
 Kenya	 Malaysia
 Oman	 Yemen
 Algeria	 Canada
 Peru	 Australia
 Iran	 Bahamas
 Libya	 Tunisia



Number of Attendees

1235



Number of Speakers

2



MARKETING

Public Registration Page

Endorsed By:  World Stroke Organization

Organized By:  MENASO
 American Stroke Association
A division of the American Heart Association.

DEC 2021

MENASO

CEREBROVASCULAR GRAND ROUND

14 December 2021

CME HOURS
2

Registration Details

*TITLE Dr.	*First Name
*Last Name	*Mobile Number
*Email Address	*Verify Email Address
*PROFESSION Physician	*SPECIALTY Acupuncture Practitioner
If Others, please specify	*Organization/ Facility
*Address City	*Country of Practice

Please tick the Register Now! button before submit.


Register Now!

Submit


Managed By:  MGO
For more information please contact:
☎ +971 55 248 8353 www.menastroke.org
✉ secretary@menastroke.org

REGISTER NOW
Limited Viewer Seats



Registration Confirmation



Registration Confirmation



Webinar Gallery



QUESTION & ANSWER SESSION

● How do you identify a stroke? I mean for non-medical people, early symptoms. Does smoking and alcohol intake could be cause?

● What is the prognosis rate of thrombosis in the age group of above 75 years old? Is intervention therapy is more effective than thrombosis in this age group?

● What are the complications if the old infract is not get treated?

● If patient on dual antiplatelet for whatever reason before he developed ESUS is it justified to start anticoagulation?

● Is there any correlation covid patient who developed embolic stroke?

● If a parent had atrial fibrillation and died due to cardiac problems. How high the chance for his kids to have the same problem??

● For how long is LMWH given in strokes in cancer patients?

● What about patient post metal valve replacement on warf came with massive MCA, infarction stroke and INR 3.20, can we continue on warf or keep him on clexan bid after 2 w can start warf?

● Can we used small dose NOAC with aspirin in pts with AF cardiomyopathy and mca stenosis?

- Is there a place in ESUS for aspirin/dipyridamole?
- Stroke with ventricular pocket recommendations
- How many hours post alteplase before you can do mechanical thrombectomy if indicated
- I am 40 yrs old with protine s deficiency. Blood clotting disorder. i have papillary cacinome. Any risk to take the vaccine of covid. I am now pregnant 30 weeks on inj clexan and tab aspirin
- Regarding ESES do you recommend to go for cardiac MRI or TEE for better detection of cardiac causes?
- Wat is duration and dose of anti-thrombotic therapy of symptomatic carotid stenosis for pt who who decline for surgery? I meant dual/ single anti platelet for 3 months' time/ 1 month
- Dr. Ammar, Are you in favor of having mobile stroke units?
- In the case of a previous injury that led to bleeding in the brain..and after 4 weeks of treatment..is it correct for the doctor to prescribe blood thinner pills for the patient?
- In the case of previous injuries in the case of brain hemorrhage. And after four weeks of treatment. Is it correct for the doctor to use aspirin as a treatment?
- Australian guidelines on dipyridamole?
- What the relationship between vaccines of coved and stroke?

● If patient has known to have heparin induced thrombocytopenia what anticoagulants iv substitution?

● Is there any advice on patients with immunotherapy having a stroke?

● Is it safe to use IVIG in patient with cvt?

● It's safe for elderly patients with hypertension to take aspirin 75 or 81 as daily dose

● When should antiplatelet or anticoagulants start after IVTPA OR MC?

Post-Event Report

MENASO

**CEREBROVASCULAR
GRAND ROUND**

LIVE
webinar

For more information, please contact:

Abrar Mohammed Abuelkhair

MENASO Secretary

secretary@menastroke.org

M. +971 55 248 8353 • T. + 971 2658 8717

Website : <http://menastroke.org>
